

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
Gaviiformes (Loons)	Gaviidae	<i>Gavia stellata</i>	Red-throated Loon	v, a
		<i>Gavia pacifica</i>	Pacific Loon	v, a
		<i>Gavia immer</i>	Common Loon	v
Podicipediformes (Grebes)	Podicipedidae	<i>Tachybaptus dominicus</i>	Least Grebe	v, a
		<i>Podilymbus podiceps</i>	Pied-billed Grebe	v
		<i>Podiceps auritus</i>	Horned Grebe	v
		<i>Podiceps grisegena</i>	Red-necked Grebe	v, a
		<i>Podiceps nigricollis</i>	Eared Grebe	*
		<i>Aechmophorus occidentalis</i>	Western Grebe	v
Procellariiformes (Tubenoses)	Diomedeidae	<i>Phoebastria immutabilis</i>	Laysan Albatross	v, a
Pelecaniformes (Pelicans and Allies)	Pelecanidae	<i>Pelecanus erythrorhynchos</i>	American White Pelican	v
		<i>Pelecanus occidentalis</i>	Brown Pelican	*, a
Suliformes (Frigates)	Sulidae	<i>Sula nebouxii</i>	Blue-footed Booby	v, a
		<i>Sula leucogaster</i>	Brown Booby	v, a
	Phalacrocoracidae	<i>Phalacrocorax auritus</i>	Double-crested Cormorant	v
		<i>Phalacrocorax brasilianus</i>	Neotropic Cormorant	v, a
	Fregatidae	<i>Fregata magnificens</i>	Magnificent Frigatebird	v, a
Ciconiiformes (Hérons, Ibises, Storks and Allies)	Ardeidae	<i>Botaurus lentiginosus</i>	American Bittern	v
		<i>Ixobrychus exilis</i>	Least Bittern	v
		<i>Ardea herodias</i>	Great Blue Heron	*
		<i>Ardea alba</i>	Great Egret	v
		<i>Egretta thula</i>	Snowy Egret	v
		<i>Egretta caerulea</i>	Little Blue Heron	v, a
		<i>Egretta tricolor</i>	Tricolored Heron	v, a
		<i>Egretta rufescens</i>	Reddish Egret	v, a
		<i>Bubulcus ibis</i>	Cattle Egret	*
	<i>Nycticorax nycticorax</i>	Black-crowned Night-Heron	*	
	<i>Nyctanassa violacea</i>	Yellow-crowned Night-Heron	v, a	
	Threskiornithidae	<i>Eudocimus albus</i>	White Ibis	v, a
		<i>Plegadis chihi</i>	White-faced Ibis	v
<i>Platalea ajaja</i>		Roseate Spoonbill	v, a	
Ciconiidae	<i>Mycteria americana</i>	Wood Stork	v	
Anseriformes (Swans, Geese and Ducks)	Anatidae	<i>Dendrocygna bicolor</i>	Fulvous Whistling-Duck	v
		<i>Cygnus columbianus</i>	Tundra Swan	v
		<i>Anser albifrons</i>	Greater White-fronted Goose	v
		<i>Chen caerulescens</i>	Snow Goose	v
		<i>Chen rossii</i>	Ross's Goose	v
		<i>Branta bernicla</i>	Brant	v, a
		<i>Branta canadensis</i>	Canada Goose	v

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
		<i>Aix sponsa</i>	Wood Duck	v
		<i>Anas crecca</i>	Green-winged Teal	*
		<i>Anas platyrhynchos</i>	Mallard	*
		<i>Anas acuta</i>	Northern Pintail	*
		<i>Anas discors</i>	Blue-winged Teal	*
		<i>Anas cyanoptera</i>	Cinnamon Teal	*
		<i>Anas clypeata</i>	Northern Shoveler	*
		<i>Anas strepera</i>	Gadwall	*
		<i>Anas americana</i>	American Wigeon	*
		<i>Aythya valisineria</i>	Canvasback	v
		<i>Aythya americana</i>	Redhead	v
		<i>Aythya collaris</i>	Ring-necked Duck	v
		<i>Aythya marila</i>	Greater Scaup	v
		<i>Aythya affinis</i>	Lesser Scaup	v
		<i>Clangula hyemalis</i>	Long-tailed Duck	v, a
		<i>Melanitta perspicillata</i>	Surf Scoter	v, a
		<i>Melanitta fusca</i>	White-winged Scoter	v, a
		<i>Bucephala clangula</i>	Common Goldeneye	v
		<i>Bucephala islandica</i>	Barrow's Goldeneye	v, a
		<i>Bucephala albeola</i>	Bufflehead	v
		<i>Lophodytes cucullatus</i>	Hooded Merganser	v
		<i>Mergus merganser</i>	Common Merganser	v
		<i>Mergus serrator</i>	Red-breasted Merganser	v
	<i>Oxyura jamaicensis</i>	Ruddy Duck	*	
Falconiformes (Diurnal Birds of Prey)	Cathartidae	<i>Cathartes aura</i>	Turkey Vulture	*, b
	Accipitridae	<i>Elanus leucurus</i>	White-tailed Kite	v, a
		<i>Haliaeetus leucocephalus</i>	Bald Eagle	*
		<i>Circus cyaneus</i>	Northern Harrier	*
		<i>Accipiter striatus</i>	Sharp-shinned Hawk	*
		<i>Accipiter cooperii</i>	Cooper's Hawk	*
		<i>Accipiter gentilis</i>	Northern Goshawk	v
		<i>Parabuteo unicinctus</i>	Harris's Hawk	v
		<i>Buteo lineatus</i>	Red-Shouldered Hawk	v, a
		<i>Buteo swainsoni</i>	Swainson's Hawk	v
		<i>Buteo albonotatus</i>	Zone-tailed Hawk	*
		<i>Buteo jamaicensis</i>	Red-tailed Hawk	*, b
		<i>Buteo regalis</i>	Ferruginous Hawk	v
		<i>Buteo lagopus</i>	Rough-legged Hawk	*
		<i>Aquila chrysaetos</i>	Golden Eagle	*
		Falconidae	<i>Falco sparverius</i>	American Kestrel
<i>Falco columbarius</i>	Merlin		*	
<i>Falco mexicanus</i>	Prairie Falcon		*	
<i>Falco peregrinus</i>	Peregrine Falcon		*	
Accipitriformes (Accipiter Birds)	Pandionidae	<i>Pandion haliaetus</i>	Osprey	*
Galliformes (Gallinaceous)	Phasianidae	<i>Phasianus colchicus</i>	Ring-necked Pheasant	v
	Odontophoridae	<i>Callipepla gambelii</i>	Gambel's Quail	*, b

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
Birds)				
Gruiformes (Cranes, Rails and Allies)	Rallidae	<i>Laterallus jamaicensis</i>	Black Rail	v
		<i>Rallus longirostris</i>	Clapper Rail	v
		<i>Rallus limicola</i>	Virginia Rail	v
		<i>Porzana carolina</i>	Sora	v
		<i>Gallinula chloropus</i>	Common Moorhen	v
		<i>Fulica americana</i>	American Coot	v
		Gruidae	<i>Grus canadensis</i>	Sandhill Crane
Charadriiformes (Shorebirds, Gulls, Auks and Allies)	Charadriidae	<i>Pluvialis squatarola</i>	Black-bellied Plover	v
		<i>Pluvialis dominica</i>	American Golden-Plover	v, a
		<i>Charadrius alexandrinus</i>	Snowy Plover	v
		<i>Charadrius semipalmatus</i>	Semipalmated Plover	v
		<i>Charadrius vociferus</i>	Killdeer	*, b
		<i>Charadrius montanus</i>	Mountain Plover	v
	Recurvirostridae	<i>Himantopus mexicanus</i>	Black-necked Stilt	*, b
		<i>Recurvirostra americana</i>	American Avocet	*
	Scolopacidae	<i>Tringa melanoleuca</i>	Greater Yellowlegs	*
		<i>Tringa flavipes</i>	Lesser Yellowlegs	v
		<i>Tringa solitaria</i>	Solitary Sandpiper	v
		<i>Tringa semipalmata</i>	Willet	v
		<i>Actitis macularius</i>	Spotted Sandpiper	*
		<i>Bartramia longicauda</i>	Upland Sandpiper	v, a
		<i>Numenius phaeopus</i>	Whimbrel	v, a
		<i>Numenius americanus</i>	Long-billed Curlew	*
		<i>Limosa fedoa</i>	Marbled Godwit	v
		<i>Calidris canutus</i>	Red Knot	v, a
		<i>Calidris alba</i>	Sanderling	v
		<i>Calidris mauri</i>	Western Sandpiper	v
		<i>Calidris minutilla</i>	Least Sandpiper	v
		<i>Calidris bairdii</i>	Baird's Sandpiper	v, a
		<i>Calidris melanotos</i>	Pectoral Sandpiper	v
		<i>Calidris alpina</i>	Dunlin	v
		<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	v
			<i>Gallinago gallinago</i>	Common Snipe
		<i>Phalaropus tricolor</i>	Wilson's Phalarope	*
		<i>Phalaropus lobatus</i>	Red-necked Phalarope	v
		<i>Phalaropus fulicarius</i>	Red Phalarope	v, a
	Stercorariidae	<i>Stercorarius parasiticus</i>	Parasitic Jaeger	v, a
	Laridae	<i>Leucophaeus pipixcan</i>	Franklin's Gull	v
		<i>Chroicocephalus philadelphia</i>	Bonaparte's Gull	v
<i>Larus heermanni</i>		Heermann's Gull	v, a	
<i>Larus delawarensis</i>		Ring-billed Gull	*	
<i>Larus californicus</i>		California Gull	*	
<i>Larus argentatus</i>		Herring Gull	v, a	
	<i>Larus glaucescens</i>	Glaucous-winged Gull	v, a	

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
		<i>Xema sabini</i>	Sabine's Gull	v, a
		<i>Gelochelidon nilotica</i>	Gull-billed Tern	v, a
		<i>Hydroprogne caspia</i>	Caspian Tern	v
		<i>Sterna hirundo</i>	Common Tern	v
		<i>Sterna forsteri</i>	Forster's Tern	v
		<i>Sternula antillarum</i>	Least Tern	v, a
		<i>Chlidonias niger</i>	Black Tern	v
		<i>Rynchops niger</i>	Black Skimmer	v, a
Columbiformes (Pigeons and Doves)	Columbidae	<i>Columba livia</i>	Rock Pigeon	*
		<i>Patagioenas fasciata</i>	Band-tailed Pigeon	v, a
		<i>Zenaida asiatica</i>	White-winged Dove	*, b
		<i>Zenaida macroura</i>	Mourning Dove	*, b
		<i>Columbina inca</i>	Inca Dove	*
		<i>Columbina passerina</i>	Common Ground-Dove	*, b
Cuculiformes (Cuckoos and Allies)	Cuculidae	<i>Coccyzus americanus</i>	Yellow-billed Cuckoo	v, a
		<i>Geococcyx californianus</i>	Greater Roadrunner	*, b
Strigiformes (Owls)	Tytonidae	<i>Tyto alba</i>	Barn Owl	*, b
	Strigidae	<i>Otus flammeolus</i>	Flammulated Owl	v, a
		<i>Megascops kennicottii</i>	Western Screech-Owl	*, b
		<i>Bubo virginianus</i>	Great Horned Owl	*, b
		<i>Micrathene whitneyi</i>	Elf Owl	*, b
		<i>Athene cunicularia</i>	Burrowing Owl	*
		<i>Asio otus</i>	Long-eared Owl	*
		<i>Asio flammeus</i>	Short-eared Owl	v
Caprimulgiformes (Goatsuckers and Allies)	Caprimulgidae	<i>Chordeiles acutipennis</i>	Lesser Nighthawk	*, b
		<i>Phalaenoptilus nuttallii</i>	Common Poorwill	*
Apodiformes (Swifts and Hummingbirds)	Apodidae	<i>Chaetura vauxi</i>	Vaux's Swift	*
		<i>Aeronautes saxatalis</i>	White-throated swift	*, b
	Trochilidae	<i>Archilochus alexandri</i>	Black-chinned Hummingbird	*
		<i>Calypte anna</i>	Anna's Hummingbird	v
		<i>Calypte costae</i>	Costa's Hummingbird	*, b
		<i>Stellula calliope</i>	Calliope Hummingbird	v
Coraciiformes (Kingfishers and Allies)	Alcedinidae	<i>Megaceryle alcyon</i>	Belted Kingfisher	*
Piciformes (Woodpeckers and Allies)	Picidae	<i>Melanerpes lewis</i>	Lewis's Woodpecker	v
		<i>Melanerpes uropygialis</i>	Gila Woodpecker	*, b
		<i>Sphyrapicus nuchalis</i>	Red-naped Sapsucker	v
		<i>Picoides scalaris</i>	Ladder-backed Woodpecker	*, b
		<i>Colaptes auratus</i>	Northern Flicker	*, b
		<i>Colaptes chrysoides</i>	Gilded Flicker	*, b

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status	
Passeriformes (Perching Birds)	Tyrannidae	<i>Contopus cooperi</i>	Olive-sided Flycatcher	*	
		<i>Contopus sordidulus</i>	Western Wood-Pewee	*	
		<i>Empidonax traillii</i>	Willow Flycatcher	v	
		<i>Empidonax hammondii</i>	Hammond's Flycatcher	*	
		<i>Empidonax oberholseri</i>	Dusky Flycatcher	v	
		<i>Empidonax wrightii</i>	Gray Flycatcher	*	
		<i>Empidonax difficilis</i>	Pacific-slope Flycatcher	*	
		<i>Empidonax occidentalis</i>	Cordilleran Flycatcher	v	
		<i>Sayornis nigricans</i>	Black Phoebe	*	
		<i>Sayornis phoebe</i>	Eastern Phoebe	v, a	
		<i>Sayornis saya</i>	Say's Phoebe	*, b	
		<i>Pyrocephalus rubinus</i>	Vermilion Flycatcher	*	
		<i>Myiarchus cinerascens</i>	Ash-throated Flycatcher	*, b	
		<i>Myiarchus tyrannulus</i>	Brown-crested Flycatcher	*	
		<i>Tyrannus melancholicus</i>	Tropical Kingbird	v, a	
		<i>Tyrannus vociferans</i>	Cassin's Kingbird	*, b	
		<i>Tyrannus verticalis</i>	Western Kingbird	*, b	
		Laniidae	<i>Lanius ludovicianus</i>	Loggerhead Shrike	*, b
		Vireonidae	<i>Vireo bellii arizonae</i>	Bell's Vireo	*
			<i>Vireo vicinior</i>	Gray Vireo	v
	<i>Vireo cassinii</i>		Cassin's Vireo	*	
	<i>Vireo huttoni</i>		Hutton's Vireo	v, a	
	<i>Vireo gilvus</i>		Warbling Vireo	*	
	<i>Vireo olivaceus</i>		Red-eyed Vireo	v, a	
	Corvidae		<i>Cyanocitta stelleri</i>	Steller's Jay	v, a
		<i>Aphelocoma californica</i>	Western Scrub-Jay	v	
		<i>Gymnorhinus cyanocephalus</i>	Pinyon Jay	v	
		<i>Nucifraga columbiana</i>	Clark's Nutcracker	v, a	
		<i>Corvus corax</i>	Common Raven	*	
	Alaudidae	<i>Eremophila alpestris</i>	Horned Lark	*, b	
	Hirundinidae	<i>Progne subis</i>	Purple Martin	*, b	
		<i>Tachycineta bicolor</i>	Tree Swallow	*	
		<i>Tachycineta thalassina</i>	Violet-green Swallow	*	
		<i>Stelgidopteryx serripennis</i>	Northern Rough-winged Swallow	*, b	
		<i>Riparia riparia</i>	Bank Swallow	v	
		<i>Petrochelidon pyrrhonota</i>	Cliff Swallow	*	
		<i>Hirundo rustica</i>	Barn Swallow	*	
	Remizidae	<i>Auriparus flaviceps</i>	Verdin	*, b	
	Sittidae	<i>Sitta canadensis</i>	Red-breasted Nuthatch	v	
		<i>Sitta carolinensis</i>	White-breasted Nuthatch	v, a	
Certhiidae	<i>Certhia americana</i>	Brown Creeper	v		
Troglodytidae	<i>Campylorhynchus brunneicapillus</i>	Cactus Wren	*, b		
	<i>Salpinctes obsoletus</i>	Rock Wren	*, b		
	<i>Catherpes mexicanus</i>	Canyon Wren	*, b		

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
		<i>Thryomanes bewickii</i>	Bewick's Wren	v
		<i>Troglodytes aedon</i>	House Wren	*
		<i>Cistothorus palustris</i>	Marsh Wren	v
	Regulidae	<i>Regulus satrapa</i>	Golden-crowned Kinglet	v, a
		<i>Regulus calendula</i>	Ruby-crowned Kinglet	*
	Sylviidae	<i>Polioptila caerulea</i>	Blue-gray Gnatcatcher	*
		<i>Polioptila melanura</i>	Black-tailed Gnatcatcher	*, b
	Turdidae	<i>Sialia mexicana</i>	Western Bluebird	v
		<i>Sialia currucoides</i>	Mountain Bluebird	v
		<i>Myadestes townsendi</i>	Townsend's Solitaire	v
		<i>Catharus ustulatus</i>	Swainson's Thrush	*
		<i>Catharus guttatus</i>	Hermit Thrush	*
		<i>Turdus migratorius</i>	American Robin	v
		<i>Ixoreus naevius</i>	Varied Thrush	v, a
	Mimidae	<i>Dumetella carolinensis</i>	Gray Catbird	v
		<i>Mimus polyglottos</i>	Northern Mockingbird	*, b
		<i>Oreoscoptes montanus</i>	Sage Thrasher	*
		<i>Toxostoma rufum</i>	Brown Thrasher	*, b
		<i>Toxostoma bendirei</i>	Bendire's Thrasher	*, b
		<i>Toxostoma curvirostre</i>	Curve-billed Thrasher	v
		<i>Toxostoma crissale</i>	Crissal Thrasher	*, b
		<i>Toxostoma lecontei</i>	Le Conte's Thrasher	*, b
	Sturnidae	<i>Sturnus vulgaris</i>	European Starling	*, b
	Motacillidae	<i>Anthus rubescens</i>	American Pipit	v
		<i>Anthus spragueii</i>	Sprague's Pipit	v, a
	Bombycillidae	<i>Bombycilla cedrorum</i>	Cedar Waxwing	*
	Ptilonotidae	<i>Phainopepla nitens</i>	Phainopepla	*, b
	Parulidae	<i>Vermivora chrysoptera</i>	Golden-winged Warbler	*, a
		<i>Oreothlypis celata</i>	Orange-crowned Warbler	*
		<i>Oreothlypis ruficapilla</i>	Nashville Warbler	*
		<i>Oreothlypis virginiae</i>	Virginia's Warbler	*
		<i>Oreothlypis luciae</i>	Lucy's Warbler	*, b
		<i>Parula americana</i>	Northern Parula	v, a
		<i>Dendroica petechia</i>	Yellow Warbler	*
		<i>Dendroica coronata</i>	Yellow-rumped Warbler	*
		<i>Dendroica nigrescens</i>	Black-throated Gray Warbler	*
		<i>Dendroica townsendi</i>	Townsend's Warbler	*
		<i>Dendroica occidentalis</i>	Hermit Warbler	*
		<i>Dendroica palmarum</i>	Palm Warbler	v, a
		<i>Dendroica striata</i>	Blackpoll Warbler	v, a
		<i>Setophaga ruticilla</i>	American Redstart	v
		<i>Protonotaria citrea</i>	Prothonotary Warbler	v, a
		<i>Parkesia noveboracensis</i>	Northern Waterthrush	v, a
		<i>Oporornis tolmiei</i>	MacGillivray's Warbler	*
		<i>Geothlypis trichas</i>	Common Yellowthroat	*
		<i>Wilsonia pusilla</i>	Wilson's Warbler	*

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
		<i>Myioborus pictus</i>	Painted Redstart	v, a
		<i>Icteria virens</i>	Yellow-breasted Chat	v
	Cardinalidae	<i>Piranga flava</i>	Hepatic Tanager	v, a
		<i>Piranga rubra</i>	Summer Tanager	v
		<i>Piranga ludoviciana</i>	Western Tanager	*
	Emberizidae	<i>Pipilo chlorurus</i>	Green-tailed Towhee	*
		<i>Pipilo maculatus</i>	Spotted Towhee	v
		<i>Melospiza fuscus</i>	Canyon Towhee	v
		<i>Melospiza aberti</i>	Abert's Towhee	*, b
		<i>Spizella passerina</i>	Chipping Sparrow	*
		<i>Spizella breweri</i>	Brewer's Sparrow	*
		<i>Spizella atrogularis</i>	Black-chinned Sparrow	*
		<i>Poocetes gramineus</i>	Vesper Sparrow	v
		<i>Chondestes grammacus</i>	Lark Sparrow	v
		<i>Amphispiza bilineata</i>	Black-throated Sparrow	v, b
		<i>Amphispiza belli</i>	Sage Sparrow	v
		<i>Calamospiza melanocorys</i>	Lark Bunting	v
		<i>Passerculus sandwichensis</i>	Savannah Sparrow	v
		<i>Ammodramus savannarum</i>	Grasshopper Sparrow	v
		<i>Passerella iliaca</i>	Fox Sparrow	v
		<i>Melospiza melodia</i>	Song Sparrow	v
		<i>Melospiza lincolni</i>	Lincoln's Sparrow	v
		<i>Melospiza georgiana</i>	Swamp Sparrow	v, a
		<i>Zonotrichia albicollis</i>	White-throated Sparrow	v, a
		<i>Zonotrichia atricapilla</i>	Golden-crowned Sparrow	v
		<i>Zonotrichia leucophrys</i>	White-crowned Sparrow	*
		<i>Junco hyemalis</i>	Dark-eyed Junco	v
	Calcaridae	<i>Calcarius lapponicus</i>	Lapland Longspur	v
		<i>Calcarius ornatus</i>	Chestnut-collared Longspur	v
	Cardinalidae	<i>Cardinalis cardinalis</i>	Northern Cardinal	v
		<i>Cardinalis sinuatus</i>	Pyrrhuloxia	v
		<i>Pheucticus melanocephalus</i>	Black-headed Grosbeak	*
		<i>Passerina caerulea</i>	Blue Grosbeak	v
		<i>Passerina amoena</i>	Lazuli Bunting	*
		<i>Passerina cyanea</i>	Indigo Bunting	v
	Icteridae	<i>Agelaius phoeniceus</i>	Red-winged Blackbird	*, b
		<i>Sturnella neglecta</i>	Western Meadowlark	*
		<i>Xanthocephalus xanthocephalus</i>	Yellow-headed Blackbird	v
		<i>Euphagus carolinus</i>	Rusty Blackbird	v
		<i>Euphagus cyanocephalus</i>	Brewer's Blackbird	v
		<i>Quiscalus mexicanus</i>	Great-tailed Grackle	*, b
		<i>Molothrus ater</i>	Brown-headed Cowbird	*, b

(*) = Cited/Documented as occurring on the installation
 (b) = Breeding on Installation,
 (v) = vagrant, recorded outside the installation boundary,
 (a) = accidental/extremely rare (e.g., due to weather events)

Order	Family	Scientific Name	Common Name	Status
		<i>Icterus cucullatus</i>	Hooded Oriole	v
		<i>Icterus galbula</i>	Baltimore Oriole	*
		<i>Icterus parisorum</i>	Scott's Oriole	*, b
	Fringillidae	<i>Carpodacus purpureus</i>	Purple Finch	v
		<i>Carpodacus cassinii</i>	Cassin's Finch	v
		<i>Carpodacus mexicanus</i>	House Finch	*, b
		<i>Spinus pinus</i>	Pine Siskin	v
		<i>Spinus psaltria</i>	Lesser Goldfinch	*
		<i>Spinus lawrencei</i>	Lawrence's Goldfinch	v
		<i>Spinus tristis</i>	American Goldfinch	v
	Passeridae	<i>Passer domesticus</i>	House Sparrow	*, b

Data Source for bird scientific names: The Birds of North America Online (<http://www.bna.birds.cornell.edu/bna>)